

Molecular Cell Research

Vol. 1269, 1995



Author Index

Aepfelbacher, M., see Obermeier, H. (1269) 25 Andersen, H.A., see Grauslund, M. (1269) 275 Andersson, A., see Hultberg, B. (1269) 6 Azzi, A., see Fiorani, M. (1269) 98

Baldassare, J.J., see Bastani, B. (1269) 307

Barber, R.D., Woolf, A.S. and Henderson, R.M.

A characterization of the chloride conductance in mesangial cells from the $H-2K^b$ -tsA58 transgenic mouse (1269) 267

Bastani, B., Yang, L., Baldassare, J.J., Pollo, D.A. and Gardner, J.D. Cellular distribution of isoforms of protein kinase C (PKC) in pancreatic acini (1269) 307

Beinhölzl, J., see Zuberbier, T. (1269) 79

Boland, R., see Vazquez, G. (1269) 91

Bosc, D.G., see Litchfield, D.W. (1269) 69

Boscoboinik, D., see Fiorani, M. (1269) 98

Bradford, A.J., see Dransfield, D.T. (1269) 215

Breer, H., see Tareilus, E. (1269) 129

Cai, G., Satoh, T. and Hoshi, H.

Purification and characterization of an endothelial cell-viability maintaining factor from fetal bovine serum (1269) 13

Cantoni, O., see Fiorani, M. (1269) 98

Chang, M.-C., Jeng, J.-H., Cheong, T.-C. and Huang, T.-F.

The morphologic change of endothelial cells by ancrod-generated fibrin is triggered by $\alpha_v \beta_3$ integrin binding and the subsequent activation of a G-protein coupled phospholipase C (1269) 115

Cheong, T.-C., see Chang, M.-C. (1269) 115

Cole, O.F., Seki, H., Elder, M.G. and Sullivan, M.H.F.

Interleukin-1 β independently stimulates production of prostaglandin E_2 and cyclic AMP from human decidual cells (1269) 139

Czarnetzki, B.M., see Zuberbier, T. (1269) 79

Danesch, U., see Obermeier, H. (1269) 25

De Boland, A.R., see Vazquez, G. (1269) 91

De Wulf, H., see Keppens, S. (1269) 316

Didion, T., see Grauslund, M. (1269) 275

Di Stefano, A., Trabalzini, L., La Gaetana, R., Parente, L., Lusini, P. and Martelli, P.

Khellin, but not 8-methoxypsoralen, inhibits adenylyl cyclase system in HeLa cells (1269) 162

Dixon, H.B.F., see Nicklin, P.L. (1269) 176

Døskeland, S.O., see Gjertsen, B.T. (1269) 187

Draheim, H.J., Repp, H. and Dreyer, F.

Src-transformation of mouse fibroblasts induces a Ca²⁺-activated K⁺ current without changing the T-type Ca²⁺ current (1269) 57

Dransfield, D.T., Bradford, A.J. and Goldenring, J.R.

Distribution of A-kinase anchoring proteins in parietal cells (1269) 215

Dreyer, F., see Draheim, H.J. (1269) 57

Elberg, G., Li, J., Leibovitch, A. and Shechter, Y.

Non-receptor cytosolic protein tyrosine kinases from various rat tissues (1269) 299

Elder, M.G., see Cole, O.F. (1269) 139

Fiorani, M., Cantoni, O., Tasinato, A., Boscoboinik, D. and Azzi, A. Hydrogen peroxide-and fetal bovine serum-induced DNA synthesis in vascular smooth muscle cells: positive and negative regulation by

Fuhr, G., see Hagedorn, R. (1269) 221

protein kinase C isoforms (1269) 98

Fujii, N., see Soeda, S. (1269) 85

Gandhi, C.R.

Vascular smooth muscle cells metabolize endothelin-1 in the absence of a functional receptor (1269) 290

Gardner, J.D., see Bastani, B. (1269) 307

Gjertsen, B.T. and Døskeland, S.O.

Protein phosphorylation in apoptosis (1269) 187

Goldenring, J.R., see Dransfield, D.T. (1269) 215

Grauslund, M., Didion, T., Kielland-Brandt, M.C. and Andersen, H.A. *BAP2*, a gene encoding a permease for branched-chain amino acids in *Saccharomyces cerevisiae* (1269) 275

Hagedorn, R., Fuhr, G., Lichtwardt-Zinke, K., Richter, E., Hornung, J. and Voigt, A.

Characterisation of cell movement by impedance measurement on fibroblasts grown on perforated Si-membranes (1269) 221

Hajduk, S.L., see Priest, J.W. (1269) 201

Hamer, I., Wattiaux, R. and Wattiaux-De Coninck, S.

Deleterious effects of xanthine oxidase on rat liver endothelial cells after ischemia/reperfusion (1269) 145

Hartmann, K., see Zuberbier, T. (1269) 79

Hassan, I.F., see Nicklin, P.L. (1269) 176

Hatayama, T. and Masaoka, T.

Inhibition mechanism of HSP70 induction in murine FM3A cells maintained at low culture temperature (1269) 243

He, S., see Saito-Ito, A. (1269) 1

Henderson, R.M., see Barber, R.D. (1269) 267

Hoang, V. and Hofemeister, J.

Bacillus amyloliquefaciens possesses a second type I signal peptidase with extensive sequence similarity to other Bacillus SPases (1269) 64

Hofemeister, J., see Hoang, V. (1269) 64

Hornung, J., see Hagedorn, R. (1269) 221

Hoshi, H., see Cai, G. (1269) 13

Huang, T.-F., see Chang, M.-C. (1269) 115

Hultberg, B., Andersson, A. and Isaksson, A.

Metabolism of homocysteine, its relation to the other cellular thiols and its mechanism of cell damage in a cell culture line (human histiocytic cell line U-937) (1269) 6

Hwang, P.L.H., see Low, Y.L. (1269) 32

Imajoh-Ohmi, S., see Kikuchi, H. (1269) 253

Irwin, W.J., see Nicklin, P.L. (1269) 176

Isaksson, A., see Hultberg, B. (1269) 6

Jeng, J.-H., see Chang, M.-C. (1269) 115

Kauranen, M., Kiviniitty, K. and Weckström, M.

Voltage-activated and spontaneous Cl⁻-channel activity in cultured human melanoma cell-line A2058 (1269) 281

Keen, M., see Matthews, J.S. (1269) 237

Author Index 327

Keppens, S. and De Wulf, H.

Some P₂ purinergic agonists increase cytosolic calcium but not inositol 1,4,5-trisphosphate in isolated rat hepatocytes (1269) 316

Key, B.J., see Matthews, J.S. (1269) 237

Khan, S. and O'Brien, P.J.

Modulating hypoxia-induced hepatocyte injury by affecting intracellular redox state (1269) 153

Kielland-Brandt, M.C., see Grauslund, M. (1269) 275

Kikuchi, H. and Imajoh-Ohmi, S.

Antibodies specific for proteolyzed forms of protein kinase C α (1269) 253

Kimura, M., see Saito-Ito, A. (1269) 1

Kiviniitty, K., see Kauranen, M. (1269) 281

Komoriya, A., see Packard, B.Z. (1269) 41

Komoriya, A., see Packard, B.Z. (1269) 51

Kubrina, L.N., see Mikoyan, V.D. (1269) 19

La Gaetana, R., see Di Stefano, A. (1269) 162

Lee, S.S., see Packard, B.Z. (1269) 41

Leibovitch, A., see Elberg, G. (1269) 299

Li, J., see Elberg, G. (1269) 299

Lichtwardt-Zinke, K., see Hagedorn, R. (1269) 221

Litchfield, D.W., Bosc, D.G. and Slominski, E.

The protein kinase from mitotic human cells that phosphorylates Ser-209 on the casein kinase II β -subunit is p34^{cdc2} (1269) 69

Loh, T.-T., see Zhu, W.-H. (1269) 122

Low, Y.L. and Hwang, P.L.H.

Lymphoma cells selected for resistance against the cytotoxic effect of oxygenated sterols are also resistant to nonsteroidal antiestrogens (1269) 32

Lusini, P., see Di Stefano, A. (1269) 162

Mackay, M., see Nicklin, P.L. (1269) 176

Malenkova, I.V., see Mikoyan, V.D. (1269) 19

Martelli, P., see Di Stefano, A. (1269) 162

Masaoka, T., see Hatayama, T. (1269) 243

Matijevic-Aleksic, N., Sanduja, S.K., Wang, L.-H. and Wu, K.K.

Differential expression of thromboxane A synthase and prostaglandin
H synthase in megakaryocytic cell line (1269) 167

Matsumura, T., see Saito-Ito, A. (1269) 1

Matthews, J.S., McWilliams, P.J., Key, B.J. and Keen, M. Inhibition of prostacyclin release from cultured endothelial cells by nitrovasodilator drugs (1269) 237

McArdle, H.J., see Tong, K.K. (1269) 233

McWilliams, P.J., see Matthews, J.S. (1269) 237

Mikoyan, V.D., Voevodskaya, N.V., Kubrina, L.N., Malenkova, I.V. and Vanin, A.F.

The influence of antioxidants and cycloheximide on the level of nitric oxide in the livers of mice in vivo (1269) 19

Mostowski, H.S., see Packard, B.Z. (1269) 51

Nagamatsu, A., see Soeda, S. (1269) 85

Nicklin, P.L., Irwin, W.J., Hassan, I.F., Mackay, M. and Dixon, H.B.F. The transport of acidic amino acids and their analogues across monolayers of human intestinal absorptive (Caco-2) cells in vitro (1269) 176

Noé, J., see Tareilus, E. (1269) 129

Obermeier, H., Sellmayer, A., Danesch, U. and Aepfelbacher, M. Cooperative effects of interferon-γ on the induction of NADPH oxidase by retinoic acid or 1,25(OH)₂-vitamin D₃ in monocytic U937 cells (1269) 25

O'Brien, P.J., see Khan, S. (1269) 153

Packard, B.Z., Lee, S.S., Remold-O'Donnell, E. and Komoriya, A. A serpin from human tumor cells with direct lymphoid immunomodu-

latory activity: mitogenic stimulation of human tumor-infiltrating lymphocytes (1269) 41

Packard, B.Z., Mostowski, H.S. and Komoriya, A.

Mitogenic stimulation of human lymphocytes mediated by a cell surface elastase (1269) 51

Parente, L., see Di Stefano, A. (1269) 162

Pfrommer, C., see Zuberbier, T. (1269) 79

Pollo, D.A., see Bastani, B. (1269) 307

Ponka, P., see Richardson, D.R. (1269) 105

Priest, J.W. and Hajduk, S.L.

The trypanosomatid Rieske iron-sulfur proteins have a cleaved presequence that may direct mitochondrial import (1269) 201

Qian, Z.M. and Tang, P.L.

Mechanisms of iron uptake by mammalian cells (1269) 205

Remold-O'Donnell, E., see Packard, B.Z. (1269) 41

Repp, H., see Draheim, H.J. (1269) 57

Richardson, D.R. and Ponka, P.

Identification of a mechanism of iron uptake by cells which is stimulated by hydroxyl radicals generated via the iron-catalysed Haber-Weiss reaction (1269) 105

Richter, E., see Hagedorn, R. (1269) 221

Ricklinkat, J., see Zuberbier, T. (1269) 79

Saito-Ito, A., He, S., Kimura, M., Matsumura, T. and Tanabe, K. Cloning and structural analysis of the gene for cAMP-dependent protein kinase catalytic subunit from *Plasmodium yoelii* (1269) 1

Sanduja, S.K., see Matijevic-Aleksic, N. (1269) 167

Satoh, T., see Cai, G. (1269) 13

Seki, H., see Cole, O.F. (1269) 139

Sellmayer, A., see Obermeier, H. (1269) 25

Shechter, Y., see Elberg, G. (1269) 299

Shimeno, H., see Soeda, S. (1269) 85

Slominski, E., see Litchfield, D.W. (1269) 69

Soeda, S., Fujii, N., Shimeno, H. and Nagamatsu, A.

Oversulfated fucoidan and heparin suppress endotoxin induction of plasminogen activator inhibitor-1 in cultured human endothelial cells: their possible mechanism of action (1269) 85

Sullivan, M.H.F., see Cole, O.F. (1269) 139

Tamura, J., see Yusa, K. (1269) 260

Tanabe, K., see Saito-Ito, A. (1269) 1

Tang, P.L., see Qian, Z.M. (1269) 205

Tareilus, E., Noé, J. and Breer, H.

Calcium signals in olfactory neurons (1269) 129

Tasinato, A., see Fiorani, M. (1269) 98

Tong, K.K. and McArdle, H.J.

Copper uptake by cultured trophoblast cells isolated from human term placenta (1269) 233

Trabalzini, L., see Di Stefano, A. (1269) 162

Tsuruo, T., see Yusa, K. (1269) 260

Vanin, A.F., see Mikoyan, V.D. (1269) 19

Vazquez, G., Boland, R. and De Boland, A.R.

Modulation by 1,25(OH)₂-vitamin D₃ of the adenylyl cyclase/cyclic AMP pathway in rat and chick myoblasts (1269) 91

Voevodskaya, N.V., see Mikoyan, V.D. (1269) 19

Voigt, A., see Hagedorn, R. (1269) 221

Waki, A., see Yusa, K. (1269) 260

Wang, L.-H., see Matijevic-Aleksic, N. (1269) 167

Wattiaux-De Coninck, S., see Hamer, I. (1269) 145

Wattiaux, R., see Hamer, I. (1269) 145

Weckström, M., see Kauranen, M. (1269) 281

Woolf, A.S., see Barber, R.D. (1269) 267

Wu, K.K., see Matijevic-Aleksic, N. (1269) 167

Yang, L., see Bastani, B. (1269) 307

Yusa, K., Tamura, J., Waki, A. and Tsuruo, T.

Activation of silent MDR1 genes in revertant cells by fusion with multidrug-resistant cells (1269) 260

Zhu, W.-H. and Loh, T.-T.

Effects of Na^+/H^+ antiport and intracellular pH in the regulation of HL-60 cell apoptosis (1269) 122

Zuberbier, T., Pfrommer, C., Beinhölzl, J., Hartmann, K., Ricklinkat, J. and Czarnetzki, B.M.

Gangliosides enhance IgE receptor-dependent histamine and LTC4 release from human mast cells (1269) 79

